



90 years after its founding, Häfele is now a global leader in the furniture fittings and architectural hardware industry. With over 6,000 employees and 37 subsidiaries worldwide, Häfele is expertly placed to draw upon it's experience, global reach and market understanding to help ensure that the products offered to customers reflect the company's progressive attitude to innovation and quality.





Vauth-Sagel has stood for contemporary and innovative storage solutions for over 55 years. The owner-managed family business develops, manufactures and sells system components that are aimed at making people's lives more comfortable. With many years of expertise in working with all of the materials used, 1000 employees manufacture more than 85 million quality products "Made in Germany" every year. Vauth-Sagel wants "people to rediscover highly COMFORTABLE living environments and therefore create SPACE. For EVERYONE, everywhere in the world!." With this mission, Vauth-Sagel accommodates the needs of its customers around the world with ground-breaking inspirational innovations they can include in their product design and fittings to ensure that they are always the one decisive step ahead.

Everything starts with an idea. An idea that we believe in, that drives us every day and that surprises and excites us again and again.

We want
to create high-quality system
solutions for living spaces.
For everyone.

This is the idea that Hermann Vauth and Heinrich Sagel created in 1962. And that we still hold on to today. Every day. To us space is in the eye of the beholder. We see solutions where others look away. We never rest on our laurels. We are always thinking one step ahead and looking for new challenges in order to recognize and redefine the living spaces of tomorrow and to facilitate and beautify everyday life.





A good kitchen is a good part of a good life.

The kitchen is the centre of household life, in all continents on earth. Priorities differ depending on the cultural area, with design customized according to the tastes and way of life of the residents – but it's always the place where people come together. Where people not only cook and eat together, but also talk, laugh and communicate with each other. A kitchen that is perfectly tailored to the desires and needs of its users, that optimally utilizes all spaces and that combines material quality, convenience, functionality and aesthetics is the ideal to which we have been committed to for more than 50 years.





CONTENTS

ABOUT VAUTH-SAGEL

VARIANTS 9 Design variants VS TAL® - TALL CABINETS VS TAL® Gate (N) 13 VS TAL® Gate 17 VS TAL® Gate Pro 21 VS TAL® Larder 23 Power move and PAM 27 VS TAL® Wiro 31 VS SUB® Basket (Tall) 29 VS COR® - CORNER CABINETS VS COR® Flex 43 VS COR® Fold 47 CORNERSTONE® MAXX 51 CORNERSTONE® Swing 55 VS COR® Wheel Pro 57 VS SUB® - BASE CABINETS VS SUB® Slim 61 VS SUB® Side 63 VS SUB® Basket 67 VS ENVI® - WASTE BIN SYSTEMS VS ENVI® Space XX Pro 71 VS ENVI® Space (Pro) 75 VS ENVI® Space S undersink bin 77 VS ENVI® Center 79 VS ENVI® Single 81 VS ENVI® Fit VS ENVI® Free 85 VS ENVI® Drawer 87 VS ENVI® Kick 89

91



DESIGN VARIANTS

VERSATILE AND FLEXIBLE.

Shape and material are often a matter of taste when choosing baskets. That's why the entire Vauth-Sagel basket line is designed as a modular system in which the guide and the frame can each be combined with different shelf variants.



Artline*
White wooden base with chrome wire frame and clear glass sides.



PlaneroWooden base with powder coated steel border in lava grey.




Premea lava grey
Premea lava grey solid wooden base
with lava grey wire frame.




Premea white*
Premea white solid wooden base with chrome wire frame.



SaphirSaphir mesh chrome wire basket.



Classic chrome
Classic chrome wire basket.



Classic silver
Classic silver wire basket.



PlaneroWooden base with powder coated steel border in lava grey.



Lava grey shelf with lava grey rail.



White shelf with chrome or silver rail.



White base with chrome effect edge.

*Selected lines only

VS FAL

VS TAL® TALL CABINETS

An elegant tall cabinet is the gateway to a good kitchen life. As a storage cabinet for food or as a practical storage option for kitchen utensils, it significantly contributes to improved working

efficiency and an increased quality of life. Neither narrow gaps nor small opening angles stand in the way of our tall cabinet solutions.





VS TAL® Gate (N)

SPACE NEVER RUNS SHORT HERE.

Space-saving solutions are especially important in the kitchen: like this practical pull-out that gets the best out of narrow tall cabinets. With a single grip it provides an insight into the entire contents of the cabinets. The approx. 160° door opening and the height-adjustable shelves allow for customized adjustments.



DETAILS

Cabinet widths: 300 and 400 mm

Installation depth: min. 480 mmInstallation height: 1700-2140 mm

Nasket height: Classic, Saphir: 115 mm; Premea, Planero: 124 mm

EasyFit: toolless frame assembly on the lower runner

**** EasyFit: toolless connection between the driver and support frame

\ Individually height-adjustable baskets

5 baskets included per set

System payload capacity: max. 75 kg

\ Load capacity per basket: max. 15 kg

Storage versions: Classic, Saphir, Premea and Planero




BENEFITS


- 1. Optimal access
- 2. Complete overview at one pull
- 3. Time-saving
- 4. Customisable height adjustment
- 5. Maximal access from minimum opening



Cabinet dimension



Set includes:1x Frame set1x Runner set1x Basket set







VS TAL Gate N I Classic silver

VS TAL Gate N I Classic silver

For cabinet width	300 mm	400 mm
Installed height		
1700-1950 mm	549.57.953	549.57.963
1900-2140 mm	549.57.954	549.57.964



VS TAL Gate N I Classic chrome

VS TAL Gate N I Classic chrome

For cabinet width	300 mm	400 mm
Installed height		
1700-1950 mm	549.57.353	549.57.363
1900-2140 mm	549.57.354	549.57.364



VS TAL Gate N I Saphir chrome

VS TAL Gate N I Saphir chrome

For cabinet width	300 mm	400 mm
Installed height		
1700-1950 mm	549.57.253	549.57.263
1900-2140 mm	549.57.254	549.57.264



VS TAL Gate N I Premea lava grey

VS TAL Gate N I Premea lava grey

For cabinet width	300 mm	400 mm
Installed height		
1700-1950 mm	549.57.043	549.57.033
1900-2140 mm	549.57.044	549.57.034



VS TAL Gate N I Planero lava grey

VS TAL Gate N I Planero lava grey

For cabinet width	300 mm	400 mm
Installed height		
1700-1950 mm	549.58.303	549.58.313
1900-2140 mm	549.58.304	549.58.314





VS TAL® Gate

THE GATEWAY TO MAXIMUM STORAGE SPACE.

This tall cabinet solution opens up the best perspectives in the kitchen. Developed for maximum storage space and easy access, it sets new standards in convenience and design. It is particularly characterized by the opening mechanism that automatically moves the stored goods toward the user in one go, providing for an optimal overview.



DETAILS

- Cabinet widths: 500 and 600 mm Installation depth: min. 480 mm
- Installation height: 1200-2140 mm
- Basket height: Classic, Saphir: 115 mm; Artline, Premea, Planero: 124 mm
- EasyFit: toolless frame assembly on the lower runner
- EasyFit: toolless connection between the driver and support frame
- Individually height-adjustable baskets
- 1200- 1450 mm and 1450-1700 mm: 4 baskets per set
- 1700-1950 mm and 1900-2140 mm: 5 baskets per set
- System payload capacity: max. 75 kg
- Load capacity per basket: max. 15 kg
- Storage versions: Classic, Saphir, Premea, Artline and Planero




BENEFITS


- Optimal access
- 2. Complete overview at one pull
- 3. Time-saving
- 4. Customisable height adjustment
- 5. Maximal access from minimum opening



Cabinet dimension



Set includes: 1x Frame set 1x Runner set 1x Basket set







VS TAL Gate I Classic silver

VS TAL Gate I Classic silver

For cabinet width	500 mm	600 mm
Installed height		
1200-1450 mm	-	549.58.941
1450-1700 mm	=	549.58.942
1700-1950 mm	549.58.933	549.58.943
1900-2140 mm	549.58.934	549.58.944

VS TAL Gate I Classic chrome

For cabinet width	500 mm	600 mm
Installed height		
1200-1450 mm	-	549.58.141
1450-1700 mm	=	549.58.142
1700-1950 mm	549.58.133	549.58.143
1900-2140 mm	549.58.134	549.58.144

VS TAL Gate I Saphir chrome

For cabinet width	500 mm	600 mm
Installed height		
1200-1450 mm	=	549.57.291
1450-1700 mm	-	549.57.292
1700-1950 mm	549.57.283	549.57.293
1900-2140 mm	549.57.284	549.57.294

VS TAL Gate I Classic chrome



VS TAL Gate I Saphir chrome



VS TAL Gate I Premea lava grey

VS TAL Gate I Premea lava grey

For cabinet width	500 mm	600 mm
Installed height		
1200-1450 mm	=	549.57.011
1450-1700 mm	=	549.57.012
1700-1950 mm	549.57.003	549.57.013
1900-2140 mm	549.57.004	549.57.014

VS TAL Gate I Artline chrome

For cabinet width	500 mm	600 mm
Installed height		
1200-1450 mm	=	549.57.491
1450-1700 mm	=	549.57.492
1700-1950 mm	549.57.483	549.57.493
1900-2140 mm	549.57.484	549.57.494





VS TAL Gate I Planero lava grey

VS TAL Gate I Planero lava grey

For cabinet width	500 mm	600 mm
Installed height		
1200-1450 mm	=	549.58.341
1450-1700 mm	-	549.58.342
1700-1950 mm	549.58.333	549.58.343
1900-2140 mm	549.58.334	549.58.344





VS TAL® Gate Pro

THE GATEWAY TO MAXIMUM STORAGE SPACE.

This tall cabinet solution opens up the best perspectives in the kitchen. Developed for maximum storage space and easy access, it sets new standards in convenience and design. It is particularly characterized by the opening mechanism that automatically moves the stored goods toward the user in one go, providing for an optimal overview.



DETAILS

Cabinet widths: 500 and 600 mm \ Installation depth: min. 480 mm

Number of the installation height: 1700-1950 or 1900-2150 mm: 5x baskets (door and main each) are included

Nasket height: Door: 75 mm, main: 80 mm Individually height-adjustable baskets

Basket variant: Saphir chrome



BENEFITS

1. Optimal access


2. Complete overview at one pull

3. Time-saving

4. Customisable height adjustment

For cabinet width	500 mm	600 mm
Installed height		
1700-1950 mm	549.58.033	549.58.043
1900-2140 mm	549.58.034	549.58.044

Cabinet dimension




Set includes:

1x Frame set

1x Door mounted frame set

1x Runner set

1x Basket set











VS TAL® Larder

YOUR STOCKPILE OF ACCESSIBLE STORAGE SPACE.

Every kitchen needs a little elegance. The front opens and shuts easily and silently due to the damping and self closing mechanism of the full extension runners. The frame and the front connections are designed in a high-quality, double powder-coated surface.


DETAILS

- Cabinet widths: 300 and 400 mm
- \ Installation depth: 470 mm
- Nation height: 1200-2140 mm
- Nasket depth: Classic, Saphir, Premea, Artline: 428 mm, Planero: 410 mm
- EasyFit: self-locking system for tool-free installation of frame into upper and lower guide rails
- 3-D front adjustment allows simple, convenient front adjustment
- Front stabilised by fascia strips
- Individual height adjustment for baskets
- 1200-1450 mm and 1450-1700 mm: 4 baskets per set
- 1700-1950 mm and 1900-2140 mm: 5 baskets per set
- Neavy-duty, noise-restricted roller guides
- Synchronised upper and lower end stops
- Full synchronised bottom runner
- PAM: optional Power Assisted Movement in pull-out direction
- Self- and soft close
- System payload capacity: max. 80 kg
- ➤ Load capacity per basket: max. 16 kg
- Nasket variants: Classic, Saphir, Premea, Artline and Planero


BENEFITS

- 1. Optimal access
- 2. Complete overview at one pull
- 3. Time-saving
- 4. Customisable height adjustment

Cabinet dimension



Set includes:1x Frame set1x Runner set1x Basket set







VS TAL® Larder I Classic silver

VS TAL® Larder I Classic silver

For cabinet width	300 mm	400 mm
Installed height		
1200-1450 mm	547.17.812	547.17.832
1450-1700 mm	547.17.813	547.17.833
1700-1950 mm	547.17.814	547.17.834
1900-2140 mm	547.17.815	547.17.835

VS TAL® Larder I Classic chrome

For cabinet width	300 mm	400 mm
Installed height		
1200-1450 mm	547.17.712	547.17.732
1450-1700 mm	547.17.713	547.17.733
1700-1950 mm	547.17.714	547.17.734
1900-2140 mm	547.17.715	547.17.735

VS TAL® Larder I Classic chrome

VS TAL® Larder I Saphir chrome

For cabinet width	300 mm	400 mm
Installed height		
1200-1450 mm	547.49.502	547.49.522
1450-1700 mm	547.49.503	547.49.523
1700-1950 mm	547.49.504	547.49.524
1900-2140 mm	547 49 505	547 49 525

VS TAL® Larder I Saphir chrome



VS TAL® Larder I Premea lava grey

VS TAL® Larder I Premea lava grey

For cabinet width	300 mm	400 mm
Installed height		
1200-1450 mm	547.17.012	547.17.032
1450-1700 mm	547.17.013	547.17.033
1700-1950 mm	547.17.014	547.17.034
1900-2140 mm	547.17.015	547.17.035



	V F
	1
	1
VS TAL® Larder I	1

Artline white chrome

For cabinet width	300 mm	400 mm
Installed height		
1200-1450 mm	547.49.702	547.49.722
1450-1700 mm	547.49.703	547.49.723
1700-1950 mm	547.49.704	547.49.724
1900-2140 mm	547.49.705	547.49.725

VS TAL® Larder I Planero lava grey




VS TAL® Larder I Planero lava grey

For cabinet width	300 mm	400 mm
Installed height		
1200-1450 mm	547.49.302	547.49.322
1450-1700 mm	547.49.303	547.49.323
1700-1950 mm	547.49.304	547.49.324
1900-2140 mm	547.49.305	547.49.325










POWER ASSISTED MOVEMENT





VS TAL® Larder Power Move

ELECTRIC MOTOR SUPPORT FOR SUPER EASY OPENING.

A typical situation in kitchens every day: No free hand to open the cabinet? That is no problem anymore because a gentle pushing at the front triggers the opening process. Silently and smoothly the door opens also because of an integrated pull-out damping.

DETAILS

Cabinet widths: 300 and 400 mm

Item	Art. No.
Power move	547.21.090

PAM - POWER ASSISTED MOVEMENT

MECHANICAL SUPPORT FOR FULL ACCESS.

Even more comfort for the daily work in the kitchen. The mechanical opening support PAM always opens the cabinet completely and silently. This works in combination with the Power Move but also without.

DETAILS

Cabinet widths: 300 and 400 mm

Item	Art. No.
Power assisted movement	547.24.990



VS SUB® Basket (Tall)

A NICE MOVE TO THE BASKET.

Basket pull-out with integral self-closing and soft-closing for installation in cabinets with hinged doors or cabinets with door fronts. Usable as a front or internal pull-out, this basket pull-out is equipped with a self-closing mechanism and integrated shock absorption system.





DETAILS


- Cabinet widths: 400, 450, 500 and 600 mm
- Minimum installation depth: 500 mm
- Minimum installation heights: 185 mm with runner
- Variants with spacing strip for installation behind a door
- Mounting of the baskets on the runners without tools
- Load capacity: max. 30 kg per basket
- Storage versions: Saphir and Planero
- Set includes:
 - 1x storage basket
 - 1x runner set
 - 1x spacing strip

BENEFITS

- 1. Optimal access
- 2. Sound-damping and active soft-closing function


VS SUB® Basket I Saphir chrome

For cabinet width	Basket width	Art. No.
400 mm	362-368 mm	548.01.212
450 mm	412-418 mm	548.01.213
500 mm	462-468 mm	548.01.214
600 mm	562-568 mm	548.01.216



VS SUB® Basket I Planero lava grey

For cabinet width	Basket width	Art. No.
400 mm	313 mm	548.01.492
500 mm	413 mm	548.01.494
600 mm	513 mm	548.01.495







VS TAL® WIRO Rack

A BONUS FROM TOP TO BOTTOM.

Regardless of how well a kitchen has been planned, there will always be a few corners where storage space is wasted. This tall cabinet pull-out rack is only fifteen centimetres wide and is equipped with five baskets at various conveniently arranged heights. They offer space for spices, glasses and containers that you would like to store in a handy place but not necessarily on view.



DETAILS

Cabinet width: 150 mm

Nation 1 Installation depth: 495 mm

\ Installation height: min. 1734 mm (with runners)

\ Internal cabinet height: min. 1850 mm (to allow clearance for contents in the top basket)

→ Grass Nova Pro soft close runners

No Brings the contents in front of the cabinet

Front rack with connection to the front


Load capacity: max. 25 kg



BENEFITS

- 1. Optimal access
- 2. Complete overview at one pull
- 3. Optimum air circulation
- 4. Time-saving

For cabinet width/basket width	150 mm / 94 mm
Chrome	549.85.222
Lava grey	549.85.522
Silver	549.85.922







VS TAL® WIRO Bottle

STORAGE SOLUTIONS FOR NARROW TALL CABINETS.

Store the entire spectrum of fine wines on a rack that takes up a mere fifteen centimetres of space. All you need is this special pull-out rack with bottle holders and baskets, unit can hold upto 16 bottles. Simply open the cabinet instead of wasting your time with a trip down to the cellar, time that would be better spent enjoying them!



DETAILS


- Cabinet width: 150 mm
- Nation land in Installation depth: min. 495 mm
- \ Installation height: min. 1734 mm (with runners)
- \ Internal cabinet height: min. 1850 mm (to allow clearance for contents in the top basket)
- Night hand mounting only
- Load capacity: max. 25 kg (front attachment included)
- Includes shelves and bottle holders



BENEFITS

- 1. Optimal access
- 2. Complete overview at one pull
- 3. Optimum air circulation
- 4. Time-saving

For cabinet width/basket width	150 mm / 94 mm
Chrome	549.85.202









VS TAL® WIRO Broom

STORAGE SOLUTIONS FOR NARROW TALL CABINETS.

Storing brooms and cleaning materials in a stylish yet handy way is a challenge which this special tall cabinet pull-out rack masters effortlessly. Everything tidily stored away, on hand and not on view. A neat solution: typical for Vauth-Sagel.



DETAILS

Cabinet width: 150 mm \ Installation depth: 495 mm

Installation height: min. 1734 mm (with runners)

Internal cabinet height: min. 1850 mm (to allow clearance for contents in the top basket)

Nanded, left or right hand mounting available

Grass Nova Pro soft close runners

Load capacity: max. 25 kg (front attachement included)

Includes five shelves and four 1.2 litres plastic trays



BENEFITS

1. Optimal access


2. Complete overview at one pull


3. Optimum air circulation


4. Time-saving

Chrome	Art. No.
Left hand*	549.94.200
Right hand*	549.94.210

*Note on handing: Handing refers to side of access, not mounting. e.g. left hand is mounted on the right hand side of the inner cabinet.











VS TAL® WIRO Rack&Bottle

STORGE SOLUTIONS FOR NARROW TALL CABINETS.

If you are a fan of efficient solutions, you will love this multifunctional pull-out unit that is only 15 cm wide. A bottle rack for eight bottles and three baskets make storing bottles, spices, glasses and containers in a tidy way easy across the entire cabinet height. VS TAL® WIRO Rack&Bottle is a very clearly structured, elegant and extremely contemporary storage solution.



DETAILS

Nabinet width: 150 mm

\ Installation depth: min. 495 mm

\ Installation height: min. 1734 mm (with runners)

\ Internal cabinet height: min. 1850 mm (to allow clearance for contents in the top basket)

Right hand mounting only

Grass Nova Pro soft close runners


Load capacity: max. 25 kg (front attachment included)



BENEFITS

- 1. Optimal access
- 2. Complete overview at one pull
- 3. Optimum air circulation
- 4. Time-saving

For cabinet width/basket width	150 mm / 94 mm
Chrome	549.85.254



vs COR

VS COR® CORNER CABINETS


A corner cabinet is not simply a cabinet placed in a corner. With this conceptual approach, we have developed cabinet solutions that not only optimally utilize angled spaces, but instead put the corner right in the centre of the kitchen experience. As a result, we open up unseen perspectives in the kitchen and allow people to experience space in a new way.



ACCESS EVERY CORNER

VS COR® Flex


THE SOLID SOLUTION FOR 100% ACCESS TO STORAGE.



- 1. Best use of space
- 2. Optimal access, all baskets come out of the cabinet

VS COR® Fold

THE PRACTICAL SOLUTION FOR COMPLETE ACCESS WITH JUST ONE MOVE.



- 1. Best use of space
- 2. Optimal access, the front basket swivels out of the cabinet and gives access to the rear basket, which automatically moves into the front cabinet section

AREA IN FRONT OF THE CABINET

100%

47%

HANDED/ UNHANDED

unhanded fitting unhanded shelves handed fitting unhanded shelves

SURFACE AREA

combined area of 2x trays or baskets 18 dm²

11.6 dm²

14.2 dm² door width 450-600 mm) 16 dm²

Total area approx. 29.6 dm²

Total area approx. 30.2 dm²

WEIGHT **CAPACITY** per shelf/ load capacity







HEIGHT ADJUSTABILITY OF TRAYS



SOFT-CLOSE



AMOUNT OF BUILT-IN PARTS

fixed to cabinet












CORNERSTONE® MAXX

THE FINEST SOLUTION FOR GETTING THE MOST OUT OF EVERY CORNER.



- 1. No blocking of neighbouring cabinet
- 2. Trays can be moved independently

THE COMFORTABLE SOLUTIONS THAT COMES TOWARDS YOU.



1./2. Lower tray automatically slides in/ out when cabinet is closed/opened

AREA IN FRONT OF THE CABINET

84%

83%

HANDED/ UNHANDED

unhanded fitting handed shelves

unhanded fitting unhanded shelves

SURFACE AREA

of 2x trays or baskets



27.4 dm²

WEIGHT CAPACITY per shelf/

load capacity





HEIGHT **ADJUSTABILITY** OF TRAYS





SOFT-CLOSE




optional

AMOUNT OF BUILT-IN PARTS

fixed to cabinet







VS COR® Flex

ACCESS TO EVERY CORNER.

Even the largest storage space is useless if it's not accessible. That's why this system enables full access to the cabinet contents, transforming every corner into functional space. Installation is unhanded: the frame is mounted to the bottom of the corner cabinet.


DETAILS

- Cabinet widths: 900 and min. 1000 mm
- Door widths: min. 450 and min. 500 mm
- Minimum installation depth: 480 mm
- Minimum installation height: 530 mm
- Basket height: Classic/Saphir: 75 mm, Premea/Planero: 84 mm
- Unhanded
- \ Integrated soft-closing and self-closing on both pull-outs
- Installation template: no measuring necessary when installing into cabinet
- ➤ The same system can be installed for a left and right hand application
- Maximum load: 8 kg per basket
- Load capacity: max. 32 kg
- Basket variants: Classic, Saphir, Premea and Planero

BENEFITS

- 1. Best use of space
- 2. Optimal access


Cabinet dimension



D	W	0
min. 450 mm	900 mm	≥ 381 mm
min. 500 mm	1000 mm	≥ 445 mm



Rear basket







VS COR® Flex I Classic silver

VS COR® Flex I Classic silver

For cabinet width	For door width	Art. No.
900 mm	450 mm	548.29.853
1000 mm	500 mm	548.29.854



VS COR® Flex I Classic chrome

VS COR® Flex I Classic chrome

For cabinet width	For door width	Art. No.
900 mm	450 mm	548.29.753
1000 mm	500 mm	548.29.754



VS COR® Flex I Saphir chrome

VS COR® Flex I Saphir chrome

For cabinet width	For door width	Art. No.
900 mm	450 mm	548.29.213
1000 mm	500 mm	548.29.214



VS COR® Flex I Premea lava grey

VS COR® Flex I Premea lava grey

For cabinet width	For door width	Art. No.
900 mm	450 mm	548.29.423
1000 mm	500 mm	548.29.424



VS COR® Flex I Premea white chrome

VS COR Flex I Premea white chrome

For cabinet width	For door width	Art. No.
900 mm	450 mm	548.29.233
1000 mm	500 mm	548.29.234




VS COR® Flex I Planero lava grey

VS COR Flex I Planero lava grey

For cabinet width	For door width	Art. No.
900 mm	450 mm	548.29.343
1000 mm	500 mm	548.29.344









VS COR® Fold

TURNS A FOLD INTO KITCHEN GOLD.

Regardless of what you've stored in the corner cabinet – with this solution, you can reach it effortlessly. The front baskets swivel out effortlessly when opening and facilitate access to the rear baskets, which automatically move into the front cabinet section. The integral self-closing damping unit guarantees quiet, effortless closure of the pull-out.

DETAILS

Cabinet widths: 800 and min. 900 mm

Noor widths: 400 and min. 450 mm

Minimum installation depth: 485 mm

Minimum installation height: 530 mm

> Basket height: Classic/Saphir: 75 mm, Premea/Planero: 84 mm

EasyFit: tool-free installation of the front onto pull-out

> 3D front adjustment allows simple, convenient front adjustment

\ Individual height adjustment for baskets

Maximum load: max. 8 kg per front basket, rear baskets 9.5 kg each


\ Load capacity: max. 35 kg

Nasket variants: Classic, Saphir, Premea, Artline and Planero

BENEFITS

- 1. Optimal access
- 2. Customisable height adjustment
- 3. Sound-damping and active soft-closing function

Cabinet dimension



D	W	0
min. 400 mm	min. 800 mm	≥ 361 mm
min. 450 mm	min. 900 mm	≥ 411 mm





VS COR® Fold I Classic silver

VS COR® Fold I Classic silver

For cabinet width	For door width	Left hand	Right hand
800 mm	400 mm	548.17.801	548.17.800
900 mm	450 mm	548.17.811	548.17.810

VS COR® Fold I Classic chrome

/		
2/	The state of the s	2
422		,

VS COR® Fold I Classic chrome

For cabinet width	For door width	Left hand	Right hand
800 mm	400 mm	548.17.001	548.17.000
900 mm	450 mm	548.17.011	548.17.010

VS COR® Fold I Saphir chrome



VS COR® Fold I Saphir chrome

For cabinet width	For door width	Left hand	Right hand
800 mm	400 mm	548.17.225	548.17.224
900 mm	450 mm	548.17.235	548.17.234

VS COR® Fold I Premea lava grey



VS COR® Fold I Premea lava grey

For cabinet width	For door width	Left hand	Right hand
800 mm	400 mm	548.13.625	548.13.624
900 mm	450 mm	548.13.627	548.13.626

VS COR® Fold I Planero lava grey



VS COR® Fold I Planero lava grey

For cabinet width	For door width	Left hand	Right hand
800 mm	400 mm	548.13.385	548.13.384
900 mm	450 mm	548.13.387	548.13.386







When you open the corner cabinet in the kitchen, you need a solution that meets you with the full contents - without obstructing the adjacent cabinets. CORNERSTONE® MAXX fulfills this need. Straight-extending kinematics with energy storage support, floating design with wide, stable shelf surface and simple installation. Your kitchen is upgraded in every respect as a result.



DETAILS

Cabinet widths: 800, 900 and 1000 mm

Noor widths: 400-600 mm

\ Installation depth: min. 490 mm

Load capacity: max. 25 kg per shelf

EasyFit: tool-free assembly of shelf elements on the support arms

N PAM: Power Assisted Movement in pull-out direction resulting in soft open and close

➤ Simple height adjustment, even when installed

\ Large-area shelves - 3370 cm²

The shelves can be moved in and out independently and do not obstruct

Floating design due to hidden fastening

Shelf variants: Rail and Planero




BENEFITS

- 1. No blocking of neighbouring cabinet
- 2. Maximised storage space & optimal access
- 3. Up to 25 kg per shelf
- 4. Customisable height adjustment
- **5.** Soft closing (movement damping-shelves)
- 6. Floating design



Cabinet dimension



D	W	0
400 mm	800 mm	min. 361 mm
450 mm	900 mm	min. 411 mm
500 mm	1000 mm	min. 461 mm
600 mm	1000 mm	min. 561 mm





CORNERSTONE® MAXX I Rail white chrome



CORNERSTONE® MAXX I
Rail white chrome

For cabinet width	For door width	Left hand	Right hand
800 mm	400 mm	542.02.291	542.02.290
900 mm	450 mm	542.02.293	542.02.292
1000 mm	500 mm	542.02.295	542.02.294
1000 mm	600 mm	542.02.297	542.02.296

NEW

CORNERSTONE® MAXX I Rail lava grey



CORNERSTONE® MAXX I Rail lava grey

For cabinet width	For door width	Left hand	Right hand
800 mm	400 mm	542.02.881	542.02.880
900 mm	450 mm	542.02.883	542.02.882
1000 mm	500 mm	542.02.885	542.02.884
1000 mm	600 mm	542.02.887	542.02.886

CORNERSTONE® MAXX I Planero lava grey



CORNERSTONE® MAXX I Planero lava grey

For cabinet width	For door width	Left hand	Right hand
800 mm	400 mm	542.02.491	542.02.490
900 mm	450 mm	542.02.493	542.02.492
1000 mm	500 mm	542.02.495	542.02.494
1000 mm	600 mm	542.02.497	542.02.496



CORNERSTONE® MAXX I Extension pole

CORNERSTONE® MAXX Extension pole

Item	Installed height	Art. No.
CORNERSTONE MAXX, Extension pole	1100-1350 mm	542.02.001
CORNERSTONE MAXX, Extension pole	1350-1600 mm	542.02.002



CORNERSTONE® Swing

THE CORNER IN THE CENTRE.

A CORNERSTONE® Swing carousel brings cabinet contents to the front of the unit. The shelves swivel out to a comfortable distance away from the cabinet; everything is within easy reach. Each shelf can be attached at the required height and the shelves disappear back inside the unit when the door is closed.



- Cabinet widths: 800, 900 and 1000 mm
- Noor widths: 400, 450, 500 and 600 mm
- L-movement of the shelves allows free access to neighboring cabinets
- \ IInhanded
- Easy assembly only support tube needs to be mounted
- Optional door attachment
- New: optional soft-close. Requires seperate purchase
- Set includes:
 - 2x Shelves
 - 1x Pull-out pivoting mechanism

BENEFITS

- 1. Lower shelf automatically slides out when cabinet is opened
- 2. Optimal access with everything within reach
- 3. Lower trays automatically slide back in when cabinet is closed
- 4. Customisable height adjustment
- 5. Up to 18 kg per shelf
- 6. Maximised storage space & optimal access




Item	Art. No.
Soft close mechanism	542.05.999

Note: Soft close is optional.

Cabinet dimension



CORNERSTONE® Swing I Rail Premea lava grey



0	D
362 - 368 mm	400 mm
412 - 418 mm	450 mm
462 - 468 mm	500 mm
562 - 568 mm	600 mm
	412 - 418 mm 462 - 468 mm














CORNERSTONE® Swing I









VS COR® Wheel Pro

EVERYTHING REVOLVES AROUND YOU.

When it comes to kitchen corners, the more accessible storage space, the better. That's why this corner cabinet solution has no space consuming central standpipe so allows you 20% more storage area - ideal for bulky kitchenware. The trays are held in place with a hidden support arm which is both more aesthetically pleasing and allows use in under-sink cabinets.

DETAILS

- Cabinet width: 900 x 900 mm
- Minimum side installation depth: 490 mm
- Ninimum side installation height: 620 mm
- EasyFit: tool-free installation of storage units onto the supporting arms
- Flexible base positioning irrespective of cabinet height
- Can be installed in base, tall and wall cabinets
- Can be installed into an existing kitchen
- Load capacity: max. 27.5 kg per shelf
- Tray variant: Rail

BENEFITS

- 1. Optimal access
- 2. Floating design
- 3. Customisable height adjustment





VS COR® Wheel Pro I Rail white chrome



VS COR® Wheel Pro I Rail lava grey

Variant	Art. No.
White chrome	542.62.812
Lava grey	542.26.412





VS COR® Wheel 3/4, Rail

SUE

VS SUB® BASE CABINETS

The base cabinet is fundamental to every kitchen. What happens under the work top is as important as what happens on top. Whether food or cooking utensils, cutlery or dishes, whether for

a small student's flat or a trendy loft – our base cabinet solutions are intelligent, versatile and flexible in order to make every day life easier.



VS SUB® Slim



Niches in the kitchen often remain unused – until now. VS SUB® Slim units transform the smallest space into $\,$ a storage miracle.





Cabinet width: 150 mm

Minimum installation depth: 495 mm

Minimum installation height: 530 mm


EasyFit: tool-free installation onto the runners

Two versions: two storage racks or towel holder

> 3D front adjustment allows simple, convenient front adjustment

\ Integrated soft-closing and self-closing on both runners

Load capacity: max. 6 kg per shelf element



BENEFITS

- 1. Optimal use of space
- 2. Complete overview at one pull
- 3. Optimal access
- 4. Time-saving






VS SUB® Slim lava grey

Variant	150 mm
Silver	545.12.861
Chrome	545.12.272
Lava grey	545.12.572
Planero lava grey	548.08.320
VS SUB® Slim Towel silver	545.12.952
VS SUB® Slim Towel chrome	545.12.252



VS SUB® Slim Towel



VS SUB® Slim storage rack

VS SUB® Slim Towel



VS SUB® Side

ALWAYS AT YOUR SIDE.

The demands in the kitchen change at a rapid pace. The traditional system that fits into any space has been redeveloped in terms of design and functionality. Our basic pull-out hence is an unbeatable bestseller.













VS SUB® Side I Classic



VS SUB® Side I Saphir



VS SUB® Side I Premea lava grey



VS SUB® Side I Planero



VS SUB® Side I Artline

DETAILS

- Cabinet widths: 150 and 300 mm
- Ninimum installation depth: 495 mm
- Ninimum installation height: 580 mm
- Nasket height: Saphir/Classic: 75 mm, Artline/Premea: 84 mm, Planero: 80 mm
- \ Unhanded
- EasyFit: tool-free connection to front
- Storage units for towels
- \ Individual height adjustment for baskets
- > 3D front adjustment allows simple, convenient front adjustment
- Integrated soft-closing and self-closing
- \ Installation template: no measuring necessary when installing in cabinet
- Noad capacity: max. 20 kg
- Notation Notatio
- Nasket set includes:
 - 2x storage baskets
 - 4x securing clips
 - 2x door hanging plates

BENEFITS

- 1. Optimal use of space
- 2. Complete overview at one pull
- 3. Optimal access
- 4. Time-saving
- 5. Customisable height adjustment

How to order VS SUB® Side:


- 1. Select VS SUB Side frame.
- 2. Add VS SUB® Side basket set.

Item	Art. No.
VS SUB® Side, frame silver	546.39.995
VS SUB® Side, frame lava grey	546.34.351

Variant	Basket height	300 mm
Classic silver	75 mm	546.40.903
Classic chrome	75 mm	546.40.303
Saphir chrome	75 mm	546.40.343
Premea lava grey	84 mm	546.40.493
Artline chrome	84 mm	546.40.363
Planero lava grey	80 mm	546.36.382

Note: Set includes 2 baskets.










VS SUB® Side I Saphir chrome

VS SUB® Side I Saphir chrome

Cabinet width	Basket width	Item	Art. No.
150 mm	89 mm	VS SUB® Side, Saphir chrome	546.40.340






VS SUB® Side Towel

VS SUB® Side Towel chrome

Cabinet width	Basket width	Item	Art. No.
150 mm	89 mm	VS SUB® Side Towel chrome	546.40.310






VS SUB® Side frame

Item	Art. No.
VS SUB® Side, frame silver	546.39.995

Note: Please order VS SUB® Side frame separately.



VS SUB® Basket

A NICE MOVE TO THE BASKET.

Pull-out baskets with integral self-closing and soft-closing for installation in cabinets with hinged doors or cabinets with door fronts.





DETAILS

- Cabinet widths: 400, 450, 500 and 600 mm
- Cabinet side: 16 19 mm
- Ninimum installation depth: Saphir: 515 mm; Planero: 500 mm
- Ninimum installation heights: 185 mm with runner, front attachment for front pull-out
- Variants with spacing strip for installation behind a door
- Naskets can be mounted on runners without tools
- > 3D front adjustment allows simple, convenient front adjustment
- Nasket versions: Saphir and Planero

Set includes:

1x storage basket

1x runner set

1x spacing strip (Inner pull-out)



- 1. Optimal access
- 2. Sound-damping and active soft-closing function



VS SUB® Basket I Saphir Inner pull-out

VS SUB® Basket I Saphir chrome Inner pull-out

For cabinet width	Basket width	Art. No.
400 mm	362-368 mm	548.01.212
450 mm	412-418 mm	548.01.213
500 mm	462-468 mm	548.01.214
600 mm	562-568 mm	548.01.216



VS SUB® Basket I Planero Inner pull-out

VS SUB® Basket I Saphir Front pull-out

VS SUB® Basket I Planero lava grey Inner pull-out


		•
For cabinet width	Basket width	Art. No.
400 mm	313 mm	548.01.492
500 mm	413 mm	548.01.494
600 mm	513 mm	548.01.495






Item	Art. No.
VS SUB® Basket front brackets	548.01.999

Note: VS SUB® Basket front brackets need to be ordered separately.





vs ENV

VS ENVI® -WASTE BIN SYSTEMS

Hygiene, environmental awareness and sustainability play a special role in the kitchen - especially in waste disposal. This requires system solutions which maintain both - the cleanliness of

the kitchen and a flexible separation. As a result, it's not only your own living space that stays clean, but nature as well.













BIG HELP IN A SMALL KITCHEN.

The space-saving VS ENVI® Space XX, with its own rail system, automatic closure and soft-close can be installed laterally in a very small kitchen unit, providing high-capacity, convenient waste disposal close to the worktop. Equipped with a guide system, self-closure and soft-close, it accommodates large containers even in small kitchen cabinets. The system can be used directly under the counter top, enabling easy input of waste, directly from the work surface.

DETAILS

- Cabinet widths: 300, 400, 450, 500 and 600 mm
- \ Installation depth: min. 515 or 476 mm
- \ Installation height: min. 580 mm
- Integrated 3D front adjustment using an excenter
- \ Integrated soft-closing and self-closing on both versions
- Additional storage available using powder-coated lid
- System capacity: 33.2 to 91 litres

BENEFITS

- 1. Clearly arranged waste separation
- 2. Sound-damping and active soft-closing function
- 3. Easy to clean
- 4. Various container sizes





VS ENVI® Space XX Pro (S) I Food safe



VS ENVI® Space XX Pro (S) I Perfect for storage

Cabinet dimension









VS ENVI® Space XX Pro S I Silver

VS ENVI® Space XX Pro S I Silver

For cabinet width	Depth	Bins included	Variant	Art. No.
300 mm	476 mm	1x1.2 and 1x32 litres	Silver	503.17.520
400 mm	476 mm	1x1.2 and 1x32 litres	Silver	503.17.521
450 mm	476 mm	2x32 litres	Silver	503.17.522
500 mm	476 mm	2x32 litres	Silver	503.17.523
600 mm	476 mm	1x21 and 2x32 litres	Silver	503.17.524



VS ENVI® Space XX Pro S I Lava grey

VS ENVI® Space XX Pro S I Lava grey

For cabinet width	Depth	Bins included	Variant	Art. No.
300 mm	476 mm	1x1.2 and 1x32 litres	Lava grey	503.17.320
400 mm	476 mm	1x1.2 and 1x32 litres	Lava grey	503.17.321
450 mm	476 mm	2x32 litres	Lava grey	503.17.322
500 mm	476 mm	2x32 litres	Lava grey	503.17.323
600 mm	476 mm	1x21 and 2x32 litres	Lava grey	503.17.324



VS ENVI® Space XX Pro I Silver

VS ENVI® Space XX Pro I Silver

For cabinet width	Depth	Bins included	Variant	Art. No.
300 mm	515 mm	1x1.2 and 1x32 litres	Silver	503.17.500
400 mm	515 mm	1x1.2 and 1x35 litres	Silver	503.17.501
450 mm	515 mm	2x35 litres	Silver	503.17.502
500 mm	515 mm	2x35 litres	Silver	503.17.503
600 mm	515 mm	1x21 and 2x35 litres	Silver	503.17.504



VS ENVI® Space XX Pro I Lava grey

VS ENVI® Space XX Pro I Lava grey

For cabinet width	Depth	Bins included	Variant	Art. No.
300 mm	515 mm	1x1.2 and 1x32 litres	Lava grey	503.17.300
400 mm	515 mm	1x1.2 and 1x35 litres	Lava grey	503.17.301
450 mm	515 mm	2x35 litres	Lava grey	503.17.302
500 mm	515 mm	2x35 litres	Lava grey	503.17.303
600 mm	515 mm	1x21 and 2x35 litres	Lava grey	503.17.304













VS ENVI® Space Pro I Silver (1x21, 1x39 litres)



VS ENVI® Space Pro I Lava grey (2x12.5, 1x21 litres)

VS ENVI® Space (Pro)

EVEN THE UNUSABLE NEEDS SPACE.

Dishes, cutlery, cooking utensils and food share storage space in the kitchen. But waste needs space, too. Thanks to its various volumes, this space-saving system is the optimal solution. The containers are made from high quality plastic with side walls that are especially easy to clean. The soft-close pull-out guarantees quiet, effortless closing.

DETAILS

- Cabinet widths: 400, 450, 500 and 600 mm
- \ Installation depth: 464 mm
- No Installation height: VS ENVI® Space for 400 mm cabinet width: 370 mm

VS ENVI® Space Pro for 450-600 mm cabinet width: 470 mm

- EasyFit: tool-free installation of bin support onto the runners
- \ Integral installation template: no measuring necessary when installing into cabinet
- \ Integrated 3-D front adjustment using an excenter
- \ Integrated soft-closing and self-closing in both runners
- Additional storage available on powder-coated removable lid
- Special insert for perfect bag fastening (39 litres bin)

BENEFITS


- 1. Clearly arranged waste separation
- 2. Sound-damping and active soft-closing function
- 3. Easy to clean
- 4. Various container sizes


For cabinet width	Bins included	Silver	Lava grey
400 mm	2x10 litres bin	503.04.503	503.04.303
450 mm	2x21 litres bin	503.04.514	503.04.314
500 mm	1x21 litres and 1x28 litres bin	503.04.515	503.04.315
500 mm	2x12.5 litres and 1x21 litres bin	503.04.525	503.04.325
600 mm	2x28 litres bin	503.04.517	503.04.317
600 mm	2x12.5 litres and 1x28 litres bin	503.04.537	503.04.337
600 mm	1x21 litres and 1x39 litres bin	503.04.547	503.04.347


Note: Set includes bin.


Cabinet dimension

Product dimension





















VS ENVI® Space S I 500 mm cabinet (1x12, 1x15.5 litres)



VS ENVI® Space S I 500 mm cabinet (2x7.5, 1x12 litres)

VS ENVI® Space S undersink bin

EVEN THE UNUSABLE NEEDS SPACE.

Dishes, cutlery, cooking utensils and food share storage space in the kitchen. But waste needs space too. Thanks to its various volumes, this space-saving system is the optimal solution. The containers are made from high quality plastic with side walls that are especially easy to clean. The soft-close pull-out guarantees quiet, effortless cleaning.


DETAILS

- Cabinet widths: 500 and 600 mm
- \ Installation depth: 464 mm; 310 mm (allowing for piping system)
- \ Installation height: 370 mm
- ➤ EasyFit: tool-free installation of bin support onto the runners
- \ Integral installation template: no measuring necessary when inserting into cabinet
- \ Integrated 3D front adjustment using an excenter
- \ Integrated soft-closing and self-closing on both versions
- Additional storage available using powder-coated lid
- Special insert for perfect bag fastening

BENEFITS

- 1. Optimal use of space through reduced depth
- 2. Clearly arranged waste separation
- 3. Sound dampening and active soft-closing function
- 4. Easy to clean
- 5. Various container sizes

Cabinet dimension



VS ENVI® Space S undersink bin I Lava grey

For cabinet width	Total capacity	Bins included	Variant	Art. No.
500 mm	27.5 litres	1x12 and 1x15.5 litres	Lava grey	503.17.333
500 mm	27 litres	2x7.5 and 1x12 litres	Lava grey	503.17.343
600 mm	31 litres	2x15.5 litres	Lava grey	503.17.354
600 mm	30.5 litres	2x7.5 and 1x15.5 litres	Lava grev	503.17.364





†





VS ENVI® Center

AN ALL-AROUND SUCCESS FOR HYGIENE.

Handling kitchen waste requires reliable solutions like these: When the system is opened the lid lifts up and the bins swing out; when the system is closed, the lid is automatically placed on the bins. Cleanliness and hygiene are of prime importance. The bins are made of high-grade plastic with extra-smooth sides, making them easier to clean.

DETAILS

- Cabinet width: min. 400 mm (two-bin version)
- Cabinet width: min. 500 mm (three-bin version)
- Minimum installation depth: 350 mm for two-bin version
 450 mm for three-bin version
- Minimum installation height: min. 525 mm
- **** EasyFit: tool-free removal and replacement after initial installation
- Easy removal of entire system for cleaning the cupboard
- No additional strain on the front
- No Bins swing out automatically when the door is opened
- Can be combined with all standard hinges
- Total capacity system: 18/39 litres

BENEFITS

- 1. Clearly arranged waste separation
- 2. Automatic opening and closing
- 3. Odour sealing
- 4. Easy to clean

For cabinet width	Bins	Art. No.
min. 400 mm	2x9 litres	502.79.501
min. 500 mm	1x9 litres + 1x12 and 1x18 litres	502.79.503


VS ENVI® Center 2 I 400 mm cabinet (2x9 litres)




VS ENVI® Center 3 I 500 mm cabinet (1x9 + 1x12, 1x18 litres)


Cabinet dimension

VS ENVI Center 2





VS ENVI Center 3















VS ENVI® Single (1x7 litres)



VS ENVI® Single (1x10 litres)



VS ENVI® Single (1x12 litres)



VS ENVI® Single (1x15.5 litres)

VS ENVI® Single

THE LITTLE ONE THAT PACKS A PUNCH IN CLEANLINESS.

The new VS ENVI® Single ensures tidiness and cleanliness in areas where space is limited and must be used as strategically as possible. In addition to high-quality waste bin systems, the VS ENVI® range now also offers a sophisticated single solution for smaller houses and urban living. Cost-effective and easy to assemble. Perfect and adaptable for the kitchen or bathroom.

DETAILS

- Cabinet widths: 400 mm (7 and 10 litres), 450 mm (12 and 15.5 litres)
- \ Installation depths: min. 240 mm (7 and 10 litres), min. 280 mm (12 and 15.5 litres)
- \ Installation heights: min. 380 mm (7 and 12 litres), min. 450 mm (10 and 15.5 litres)
- Attachable on both sides
- Easy installation
- Can be retrofitted
- Dip in the lid for storing rolls of bin bags
- The bin swings out automatically when the door is opened
- Can be combined with all standard shock-absorbing hinges
- The container, lid and bin frame can be removed, cleaned and washed easily
- Bin capacity: 7, 10, 12 and 15.5 litres
- Food proof and dishwasher safe

BENEFITS

- 1. Effortless installation
- 2. Automatic opening and closing
- 3. Built-in storage for rubbish bags
- 4. Versatile for kitchen and bathroom use
- 5. Easy to clean

For cabinet width	Bins	Lava grey
400 mm	1x7 litres	503.42.300
400 mm	1x10 litres	503.42.301
450 mm	1x12 litres	503.42.302
450 mm	1x15.5 litres	503.42.303













FIT IN EVERY KITCHEN.

You don't have to turn entire kitchen on its head to optimise waste sorting. This solution can be integrated in any standard pull-out, to keep the same drawer system in the entire kitchen. The flexible frame replaces the bottom and back wall of the drawer. The casing does not have to be replaced.

DETAILS

- Cabinet widths: 450, 500 and 600 mm
- \ Installation depth: 470 mm
- ➤ Can be installed in 450-600 mm pull-out drawer systems
- \ Installation height: min. 460 mm
- The fixed frame replaces the bottom of the drawer
 - individually adjustable
 - in combination with wood or steel rear wall
- The simple installation allows for maximum flexibility in relation to the frame system with minimal variants
- Fixed metal lid
- Version available in silver

BENEFITS

- 1. Clearly arranged waste separation
- 2. Sound-damping and active soft-closing function
- 3. Easy to clean
- 4. Various container sizes



VS ENVI® Fit two-bin version (2x21 litres)

For cabinet width	Bins included	Art. No.
450 mm	39 litres	503.17.552
500 mm	39 litres	503.17.553
500 mm	2x21 litres	503.17.554
600 mm	2x28 litres	503.17.555
600 mm	2x12.5 litres and 1x28 litres	503.17.556

Note: Set includes bins.











216 mm height









256 mm height



VS ENVI® Free

FREE REIN FOR WASTE SORTING.

In the kitchen you should have the final word. With individually configurable and freely positionable containers, this waste sorting system provides you with enormous freedom. Because it is based on the drawer pull-outs of the respective furniture producer, every combination is possbile: from manufacturer-specific convenience features to full pull-out and shock-absorbing closure to automatic.

DETAILS

- Bin heights: 216 and 256 mm
- Width-independent placement
- Can be retrofit in all pull-out systems
- Optional lid variant
- Special insert for perfect bag fastening
- Bin volume: 6 to 18 litres
- Version available in silver

BENEFITS

- 1. Clearly arranged waste separation
- 2. Easy to clean
- 3. Various container sizes

Height	Bin	Art. No.
216 mm	6 litres	503.04.992
216 mm	10 litres	503.04.994
216 mm	13 litres	503.04.995
216 mm	18 litres	503.04.997
256 mm	7 litres	503.04.993
256 mm	12 litres	503.04.996
256 mm	16 litres	503.04.998


Item	For Bin	Art. No.
Lid	6 and 7 litres	503.04.980
Lid	10 and 12 litres	503.04.981
Lid	13 and 16 litres	503.04.982

VS ENVI Space Free I Bin height 216 mm


600 mm 450 mm 500 mm












VS ENVI Space Free I Bin height 256 mm

500 mm 600 mm















MORE SPACE, MORE ORGANISATION.

Why not get the most benefit of your waste bin cabinet? This innovative module expands the usable storage space with a drawer holding containers for cleaning and kitchen consumables. Depending on the position of the water connections, plastic containers can be suspended in the powder-coated metal framework. Two synchronized full pull-outs provide for an easy opening and soft-closing.

DETAILS

- Cabinet widths: 500 and 600 mm
- Nation lepth: 486 mm with hanging bin
- \ Installation height: 132 mm
- Capacity of small bin 1.2 litres, large bin 2.7 litres
- EasyFit: tool-free installation of bin support onto the runners
- Integrated soft-closing and self-closing on both versions

BENEFITS

- 1. Clearly arranged storage
- 2. Optimal use of space
- 3. Easy to clean



VS ENVI® Drawer I 500 mm cabinet


For cabinet width	Bins included	Silver	Lava grey
500 mm	1x1.2 and 1x2.7 litres	503.16.972	503.16.371
600 mm	1x1.2 and 1x2.7 litres	503.16.973	503.16.373

Note: Only 2 bins are included in the set.

Cabinet dimension



VS ENVI® Drawer I 600 mm cabinet





VS ENVI® Kick

KICK TO OPEN.


A system for a soft and comfortable opening of all front pull-outs such as the VS ENVI® Space, VS ENVI® Space XX and VS ENVI Fit. The ergonomically and pleasantly designed pedal, opens the waste bin system fully with little effort. The opening mechanism returns automatically to its starting position.

DETAILS

- Simple and hands-free door opening using foot pedal
- Minimum plinth height: 70 mm
- For all front pull-outs for VS ENVI Space, VS ENVI® XX and VS ENVI® Fit with self-closing and soft-closing
- Easy installation with installation template provided with the kit
- EasyFit: tool-free installation of bin support onto the runners
- Ninimum required space under the waste bin systems or drawers
- Retrofit in any pull-out system with front opening possible
- Pedal is returned to starting position by a spring
- Virtually silent
- No scratching to the front

Item	Art. No.
VS ENVI® Kick, matt chrome	503.04.950









Sustainability? Is our way of life.

Ecology and sustainability are increasingly the foundation of our daily decisions. Together with our goal-oriented product development and a future-oriented corporate policy, conscientious behavior toward people and the environment is one of the pillars of our success. This not only includes a commitment to observing laws and regulations, but also the intention to examine every process, day by day, and to optimize them beyond these requirements. We are filled with pride to prove that an environmentally responsible implementation of processes is possible.





Those who work with many materials, must know many materials.

When it comes to materials, perfection is our only standard. Whether wire, steel, sheet metal, wood or plastic – with our customized system solutions, we offer unique material expertise from a single source, resulting in a unique value-added chain. Our production in the heart of Germany, our enormous technical expertise and our commitment to always operating at the highest level in terms of process and quality give us and our customers the possibility to find new opportunities together.





A future always needs a past.

Vauth-Sagel has successfully been in business for more than 50 years. Since the baby booming days of the 1960's to the rediscovery of the kitchen in the 80's – we have recognized and shaped social trends. Just as long we have been a close partner to kitchen industry. Our reliability commit us to lasting quality. We consider the internationally famous expression "Made in Germany" to be a promise that we commit to every day. Our reliablility commits us to develop a lasting quality. This is the driving force to improve our efforts every day.





CERTIFICATE

VAUTH-SAGEL SYSTEMTECHNIK GmbH & Co. KG

WARRANTS ALL ITS PRODUCTS SUBJECT

TO THE TERMS AND CONDITIONS OF SALE

WITH A

10 YEARS WARRANTY





➤ Find out more information on www.hafele.co.uk/vauth-sagel-warranty

CONTACT





Brownsover Road Swift Valley Industrial Estate Rugby Warwickshire CV21 1RD

Phone: 0800 171 2909 Fax: 01788 544440

e-mail: info@hafele.co.uk Internet: www.hafele.co.uk



VAUTH-SAGEL GmbH & Co. KG

Neue Straße 27 D-33034 Brakel-Erkeln Germany

Phone: +(49) 0 5272 601 - 01 Fax: +(49) 0 5272 601 - 191

e-mail: vs@vauth-sagel.de Internet: www.vauth-sagel.com

732.04.374

Imprint

All parts of this brochure are property of Vauth-Sagel. Reproduction of the brochure or parts there of in any form is prohibited without our approval.

We reserve all rights under copyright law. Any liability for typographical mistakes or errors is excluded. The dimensions are non-binding. We reserve the right to make design and technical changes.

Publisher

Vauth-Sagel | Neue Straße 27 | 33034 Brakel-Erkeln | Phone: +49 (0) 5272 601-01 Email: vs@vauth-sagel.com | www.vauth-sagel.com

Version: February 2020 | © by Vauth-Sagel | All rights reserved.